

EC Declaration of Conformity

Veho UK Ltd Long Barn, Unit 2 Wangfield Lane, Curdridge, Southampton, Hampshire SO32 2DA

25/09/2023

Declare under our sole responsibility that the product:

Model: M-Series MR-8 Retro Wireless Speaker

Model No: VSS-501-MR8

and all variations specified in the annex are in conformity with the provisions of the following EC directive(s) (including all applicable amendments); and are designed and manufactured with application of the harmonized standards.

Quality Assurance: The manufacturing organisation is certified according to ISO 9001:2008.

Steve Lewis CEO & Founder



EC_DoC_VSS-501-MR8 PG 1/2

| Document | Description | Issued/Version |
|---|--|----------------|
| EN 300 328 V2.2.2 | Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum | 19/09/2023 |
| EN 301 489-1 V2.2.3 | Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility | 19/09/2023 |
| EN 301 489-17 V3.2.4 | Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility | 19/09/2023 |
| FCC Part15.247 ANSI C63.10-2013 | Federal Communications Commission (FCC) | 19/09/2023 |
| 2014/53/EU | Radio Equipment Directive - Compliance of product with the requirements relating to radio equipment | 19/09/2023 |
| EN 50663:2017 EN 62479:2010 | Low power electronic and electrical equipment related to human exposure restrictions for electromagnetic fields | 19/09/2023 |
| EN 55032:2015/A1:2020 EN 55035:2017/A11:2020 | (EMC) Electromagnetic compatibility of multimedia equipment | 19/09/2023 |
| EN 61000-3-2:2019+A1:2021 | Harmonic current emissions | 19/09/2023 |
| EN 61000-3-2:2013+A1:2019+ A2:2021 | Voltage fluctuations and flicker | 19/09/2023 |
| UN38.3 | MSDS - Lithium Polymer Battery - Recommendations on the transport of dangerous goods | 24/12/2022 |

- Frequency band(s) in which the product operates **2.4-2.48GHZ**
- Maximum radio-frequency power transmitted in the frequency band(s) in which the product operates **+4dB**

EC_DoC_VSS-501-MR8 PG 2/2